

WS/LS-400 SR2 the first order information



Active with Newest Technology

© 2021 ANEST IWATA Group

Gun surface treatments



Digital version

Chrome + PVD treatment
Black



Non-digital version

Chrome treatment
Twilight Chrome

Atomization



WS-400 Base
Blue

WS-400 Clear
Silver gray

WS-400 Clear
Green

WS-400 SERIES2 BASE - DIGITAL

FEATURES



- The Anest Iwata WS-400 Series 2 BASE superior range is ideal for wet on wet basecoat applications.
- Wide range of optimized nozzle configurations available for a variety of paint brands and different climates and conditions.
- Integrated quick detachable compact digital manometer DPG-1 system.
- Special black chrome body

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	description/climate	model name - digital	cap	bar**	NI/min	mm***
OBS SETUP	1.3 OBS-0	COLD & HUMID	WS-400-SR2D-OBS-0	WS-400-02-OBS	2.0	370	255
	1.3 OBS	STANDARD*	WS-400-SR2D-OBS				255
	1.3 OBS+1	HOT & DRY	WS-400-SR2D-OBS+1				260
BF SETUP	BF-S	STANDARD*	WS-400-SR2D-BF-S	WS-400-03-BF			250
	BF-X	HOT & DRY	WS-400-SR2D-BF-X				250

* OBS series: for type A wet on wet application • BF series: for type B wet on wet application
 *Standard climate range: 15-30°C with a humidity of 30% - 75% RH **Suggested gun inlet pressure during spraying. ***Fan width at a Spray distance of 150 mm.



ORDER INFORMATION

WS-400 BASE DIGITAL

	OBS SET UP			BF SET UP	
	OBS-0	OBS	OBS+1	BF-S	BF-X
PRO SET	130189A0	130190A0	130191A0	130250A0	X
PRO PPS SET	130610A0	130525A0	130526A0	130527A0	X
SUPERIOR-SET	Please refer to the table on page 20 to see the full range of available combinations.				

AIR CAP SET	93008310			93018140	X
FLUID NOZZLE & NEEDLE	93008930	93008340	93008990	93018150	X

SET OPTIONS & CONTENTS

★★★
SUPERIOR SET*

Two Series 2 Spray Guns - Two 600 ml Gravity Cup - Cleaning Brushes
 Universal Spanner. On Digital version: Trigger Clip/Pin Cap.
 On Non-Digital Version: HVC Air Pressure Regulator.

*Please refer to the table on page 20 to see the full range of available combinations.

★★
PRO SET

WS-400 Series 2 Base Digital Spray Gun
 600 ml Gravity Cup
 DPG-1 Module - Cleaning Brushes
 Universal Spanner - Trigger Clip/Pin Cap.

★★
PRO PPS SET

WS-400 Series 2 Base Digital Spray Gun
 3M PPS 2.0 (S43) Adaptor
 DPG-1 Module - Cleaning Brushes
 Universal Spanner - Trigger Clip/Pin Cap.

WS-400 SERIES2 BASE

FEATURES



- The Anest Iwata WS-400 Series2 BASE superior range is ideal for wet on wet basecoat applications.
- Wide range of optimized nozzle configurations available for a variety of paint brands and different climates and conditions.
- HVC inline manometer is recommended and available for accurate performance and colour reproduction.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	description/climate	model name - non digital	cap	bar**	NL/min	mm***
OBS SETUP	1.3 OBS-0	COLD & HUMID	WS-400-SR2-OBS-0	WS-400-02-OBS	2.0	370	255
	1.3 OBS	STANDARD*	WS-400-SR2-OBS				255
	1.3 OBS+1	HOT & DRY	WS-400-SR2-OBS+1				260
BF SETUP	BF-S	STANDARD*	WS-400-SR2-BF-S	WS-400-03-BF			250
	BF-X	HOT & DRY	WS-400-SR2-BF-X				250

* OBS series: for type A wet on wet application • BF series: for type B wet on wet application
 *Standard climate range: 15-30°C with a humidity of 30% - 75% RH **Suggested gun inlet pressure during spraying. ***Fan width at a Spray distance of 150 mm.



ORDER INFORMATION

WS-400 BASE

	OBS SET UP			BF SET UP	
	OBS-0	OBS	OBS+1	BF-S	BF-X
ECO SET	130256A0	130257A0	130258A0	130259A0	X
ECO PPS SET	130572A0	130573A0	130574A0	130575A0	X
PRO PPS SET	130627A0	130628A0	130629A0	130630A0	X
PRO SET	130611A0	130612A0	130613A0	130614A0	X
SUPERIOR-SET	Please refer to the table on page 20 to see the full range of available combinations.				
AIR CAP SET	93008310			93018140	X
FLUID NOZZLE & NEEDLE	93008930	93008340	93008990	93018150	X

SET OPTIONS & CONTENTS

★★★
SUPERIOR SET*

Two Series 2 Spray Guns - Two 600 ml Gravity Cup
Cleaning Brushes - Universal Spanner. On Digital version:
Trigger Clip/Pin Cap. On Non-Digital Version: HVC Air
Pressure Regulator. *Please refer to the table on page 20
to see the full range of available combinations.

★★
PRO SET

WS-400 Series 2 Base Spray Gun
600 ml Gravity Cup - HVC Air
Pressure Regulator - Cleaning
Brushes - Universal Spanner
Trigger Clip/Pin Cap.

★
ECO SET

WS-400 Series 2
Base Spray Gun
600 ml Gravity Cup
Cleaning Brushes
Universal Spanner.

★★
PRO PPS SET

WS-400 Series 2 Base Spray Gun
3M PPS 2.0 (S43) Adaptor
HVC Air Pressure Regulator
Cleaning Brushes
Universal Spanner

★
ECO PPS SET

WS-400 Series 2 Base Spray
Gun - 3M PPS 2.0 (S43)
Adaptor - Cleaning Brushes
Universal Spanner

LS-400 SERIES2 BASE - DIGITAL

FEATURES



- The Anest Iwata LS-400 Series 2 Base superior range is ideal for a wide range of basecoat applications.
- Wide range of optimized nozzle configurations available for a variety of paint brands and different climates and conditions.
- Integrated quick detachable compact DPG-1 digital manometer system.
- Special black chrome body

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	application speed	model name - digital	cap	bar*	NL/min	mm**
ET SETUP STANDARD	1.2 ET	CONTROL	LS-400-SR2D-1206	LS-400-06	1.8	400	230
	1.3 ET	STANDARD	LS-400-SR2D-1306				235
	1.4 ET	SPEED	LS-400-SR2D-1406				240
	1.5 ET	HIGH SPEED	LS-400-SR2D-1506				245
ETS SETUP HOT & DRY	1.2 ETS	CONTROL	LS-400-SR2D-12S06	LS-400-06	1.8	400	200
	1.3 ETS	STANDARD	LS-400-SR2D-13S06				205
	1.4 ETS	SPEED	LS-400-SR2D-14S06				210
	1.5 ETS	HIGH SPEED	LS-400-SR2D-15S06				215

* ET series: for standard climate application • ETS series: for hot & dry climate application
 **Suggested gun inlet pressure during spraying. **Fan width at a Spray distance of 150 mm.



ORDER INFORMATION

	ET SET UP				ETS SET UP			
	12ET	13ET	14ET	15ET	12ETS	13ETS	14ETS	15ETS
LS-400 BASE DIGITAL								
PRO SET	130213A0	130214A0	130215A0	130216A0	130217A0	130218A0	130219A0	130220A0
PRO PPS SET	130532A0	130533A0	130534A0	130535A0	130536A0	130537A0	130538A0	130539A0
SUPERIOR-SET	Please refer to the table on page 20 to see the full range of available combinations.							
AIR CAP SET	93008030							
FLUID NOZZLE & NEEDLE	93008160	93008070	93008180	93008200	93008230	93008250	93008270	93008290

SET OPTIONS & CONTENTS

★★★
SUPERIOR SET*

Two Series 2 Spray Guns - Two 600 ml Gravity Cup - Cleaning Brushes
 Universal Spanner. On Digital version: Trigger Clip/Pin Cap.
 On Non-Digital Version: HVC Air Pressure Regulator.
 *Please refer to the table on page 20 to see the full range of available combinations.

★★
PRO SET

LS-400 Series 2 Base Digital Spray Gun
 600 ml Gravity Cup
 DPG-1 Module - Cleaning Brushes
 Universal Spanner - Trigger Clip/Pin Cap.

★★
PRO PPS SET

LS-400 Series 2 Base Digital Spray Gun
 3M PPS 2.0 (S43) Adaptor
 DPG-1 Module - Cleaning Brushes
 Universal Spanner - Trigger Clip/Pin Cap.

LS-400 SERIES2 BASE

FEATURES



- The Anest Iwata LS-400 Series 2 BASE superior range is ideal for a wide range of basecoat applications.
- Wide range of optimized nozzle configurations available for a variety of paint brands and different climates and conditions.
- HVC inline manometer is recommended and available for accurate performance and colour reproduction.

TECHNICAL DATA

• Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	application speed	model name - non digital	cap	bar*	NL/min	mm**
ET SETUP STANDARD	1.2 ET	CONTROL	LS-400-SR2-1206	LS-400-06	1.8	400	230
	1.3 ET	STANDARD	LS-400-SR2-1306				235
	1.4 ET	SPEED	LS-400-SR2-1406				240
	1.5 ET	HIGH SPEED	LS-400-SR2-1506				245
ETS SETUP HOT & DRY	1.2 ETS	CONTROL	LS-400-SR2-12S06				200
	1.3 ETS	STANDARD	LS-400-SR2-13S06				205
	1.4 ETS	SPEED	LS-400-SR2-14S06				210
	1.5 ETS	HIGH SPEED	LS-400-SR2-15S06				215

* ET series: for standard climate application • ETS series: for hot & dry climate application
 *Suggested gun inlet pressure during spraying. **Fan width at a Spray distance of 150 mm.



ORDER INFORMATION

LS-400 BASE

	ET SET UP				ETS SET UP			
	12ET	13ET	14ET	15ET	12ETS	13ETS	14ETS	15ETS
ECO SET	130265A0	130266A0	130267A0	130268A0	130269A0	130270A0	130271A0	130272A0
ECO PPS SET	130580A0	130581A0	130582A0	130583A0	130584A0	130585A0	130586A0	130587A0
PRO PPS SET	130635A0	130636A0	130637A0	130638A0	130639A0	130640A0	130641A0	130642A0
PRO SET	130619A0	130620A0	130621A0	130622A0	130623A0	130624A0	130625A0	130626A0
SUPERIOR-SET	Please refer to the table on page 20 to see the full range of available combinations.							
AIR CAP SET	93008030							
FLUID NOZZLE & NEEDLE	93008160	93008070	93008180	93008200	93008230	93008250	93008270	93008290

SET OPTIONS & CONTENTS

★★★
SUPERIOR SET*

Two Series 2 Spray Guns - Two 600 ml Gravity Cup
Cleaning Brushes - Universal Spanner. On Digital version:
Trigger Clip/Pin Cap. On Non-Digital Version: HVC Air
Pressure Regulator. *Please refer to the table on page 20
to see the full range of available combinations.

★★
PRO SET

LS-400 Series 2 Base Spray Gun
600 ml Gravity Cup - HVC Air
Pressure Regulator - Cleaning
Brushes - Universal Spanner
Trigger Clip/Pin Cap.

★
ECO SET

LS-400 Series 2
Base Spray Gun
600 ml Gravity Cup
Cleaning Brushes
Universal Spanner.

★★
PRO PPS SET

LS-400 Series 2 Base Spray Gun
3M PPS 2.0 (S43) Adaptor
HVC Air Pressure Regulator
Cleaning Brushes
Universal Spanner

★
ECO PPS SET

LS-400 Series 2 Base Spray
Gun - 3M PPS 2.0 (S43)
Adaptor - Cleaning Brushes
Universal Spanner

WS-400 SERIES2 CLEAR - DIGITAL

FEATURES



Split Nozzle™ 2.0
Compliant Clear



Designed by
Pininfarina



Lower
Noise Level



DPG-1
Digital Pressure Gauge



Optimized
Setting

- The Anest Iwata WS-400 Series 2 CLEAR Superior range is perfectly placed for the application of clearcoats.
- Optimize setups available which cover a wide range application requirements, and variety of options available for different styles and speeds.
- Integrated quick detachable compact DPG-1 digital manometer system.
- Special black chrome body

TECHNICAL DATA

• HD (High Delivery) • Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	application speed	model name - digital	cap	bar*	NL/min	mm**
HD SETUP	1.2 HD	CONTROL	WS-400-SR2D-12HD	WS-400-03	2.0	370	245
	1.3 HD	STANDARD	WS-400-SR2D-13HD				250
	1.4 HD	SPEED	WS-400-SR2D-14HD				255
	1.5 HD	HIGH SPEED	WS-400-SR2D-15HD				260

*Suggested gun inlet pressure during spraying. **Fan width at a Spray distance of 150 mm.



ORDER INFORMATION

WS-400 CLEAR DIGITAL

	HD SET UP			
	12HD	13HD	14HD	15HD
PRO SET	130193A0	130194A0	130195A0	130196A0
PRO PPS SET	130528A0	130529A0	130530A0	130531A0
SUPERIOR-SET	Please refer to the table on page 20 to see the full range of available combinations.			
AIR CAP SET	93009030			
FLUID NOZZLE & NEEDLE	93009140	93009060	93009160	93009180

SET OPTIONS & CONTENTS

★★★ SUPERIOR SET*



Two Series 2 Spray Guns - Two 600 ml Gravity Cup - Cleaning Brushes
Universal Spanner. On Digital version: Trigger Clip/Pin Cap.
On Non-Digital Version: HVC Air Pressure Regulator.

*Please refer to the table on page 20 to see the full range of available combinations.

★★ PRO SET



WS-400 Series 2 Clear Digital Spray Gun
600 ml Gravity Cup
DPG-1 Module - Cleaning Brushes
Universal Spanner - Trigger Clip/Pin Cap.

★★ PRO PPS SET



WS-400 Series 2 Clear Digital Spray Gun
3M PPS 2.0 (S43) Adaptor
DPG-1 Module - Cleaning Brushes
Universal Spanner - Trigger Clip/Pin Cap.

WS-400 SERIES2 CLEAR

FEATURES



- The Anest Iwata WS-400 Series 2 CLEAR Superior range is perfectly placed for the application of clearcoats.
- Optimize setups available which cover a wide range application requirements, a variety of options available for different styles and speeds.
- HVC inline manometer is recommended and available for accurate performance and colour reproduction.



TECHNICAL DATA

• HD (High Delivery) • Air Nipple: G1/4" • Fluid Nipple: G1/4"

setup	type	application speed	model name - non digital	cap	bar*	NL/min	mm**
HD SETUP	1.2 HD	CONTROL	WS-400-SR2-12HD	WS-400-03	2.0	370	245
	1.3 HD	STANDARD	WS-400-SR2-13HD				250
	1.4 HD	SPEED	WS-400-SR2-14HD				255
	1.5 HD	HIGH SPEED	WS-400-SR2-15HD				260

*Suggested gun inlet pressure during spraying. **Fan width at a Spray distance of 150 mm.

ORDER INFORMATION

WS-400 CLEAR

	HD SET UP			
	12HD	13HD	14HD	15HD
ECO SET	130261A0	130262A0	130263A0	130264A0
ECO PPS SET	130576A0	130577A0	130578A0	190579A0
PRO PPS SET	130631A0	130632A0	130633A0	130634A0
PRO SET	130615A0	130616A0	130617A0	130618A0
SUPERIOR-SET	Please refer to the table on page 20 to see the full range of available combinations.			
AIR CAP SET	93009030			
FLUID NOZZLE & NEEDLE	93009140	93009060	93009160	93009180

SET OPTIONS & CONTENTS

★★★
SUPERIOR SET*

Two Series 2 Spray Guns - Two 600 ml Gravity Cup
Cleaning Brushes - Universal Spanner. On Digital version:
Trigger Clip/Pin Cap. On Non-Digital Version: HVC Air
Pressure Regulator. *Please refer to the table on page 20
to see the full range of available combinations.

★★
PRO SET

WS-400 Series 2 Clear Spray Gun
600 ml Gravity Cup - HVC Air
Pressure Regulator - Cleaning
Brushes - Universal Spanner
Trigger Clip/Pin Cap.

★
ECO SET

WS-400 Series 2
Clear Spray Gun
600 ml Gravity Cup
Cleaning Brushes
Universal Spanner.

★★
PRO PPS SET

WS-400 Series 2 Clear Spray Gun
3M PPS 2.0 (S43) Adaptor
HVC Air Pressure Regulator
Cleaning Brushes
Universal Spanner

★
ECO PPS SET

WS-400 Series 2 Clear Spray
Gun - 3M PPS 2.0 (S43)
Adaptor - Cleaning Brushes
Universal Spanner

Order information

WS/LS-400 SERIES2 - SUPERIOR SET

The Superior Set is the Spray painters ultimate tool set. It contains 2 fully equipped sets of the Series 2 Spray guns. Pick your desired combination from our wide range of Digital Spray guns including the DPG-1 module or Standard Spray guns including the HVC Controller. These sets include all

COMBINATION CHART

you need and come in a high quality Suitcase which takes your tools safely to wherever you might take them.



PICK YOUR CLEARCOAT GUN

PICK YOUR CLEARCOAT GUN

PICK YOUR BASECOAT GUN

		WS-400 1.2 HD				WS-400 1.3 HD				WS-400 1.4 HD				WS-400 1.5 HD	
		PRO	DIGITAL	PRO	DIGITAL	PRO	DIGITAL	PRO	DIGITAL	PRO	DIGITAL	PRO	DIGITAL		
		WS-400 BASE OBS	PRO	130283A0SS	130283A0SD	130284A0SS	130284A0SD			130285A0SS	130285A0SD	130286A0SS	130286A0SD		
	DIGITAL	130283A0DS	130283A0DD	130284A0DS	130284A0DD			130285A0DS	130285A0DD	130286A0DS	130286A0DD				
WS-400 BASE OBS-0	PRO	130274A0SS	130274A0SD	130275A0SS	130275A0SD			130276A0SS	130276A0SD	130277A0SS	130277A0SD				
	DIGITAL	130274A0DS	130274A0DD	130275A0DS	130275A0DD			130276A0DS	130276A0DD	130277A0DS	130277A0DD				
WS-400 BASE OBS+1	PRO	130291A0SS	130291A0SD	130292A0SS	130292A0SD			130293A0SS	130293A0SD	130294A0SS	130294A0SD				
	DIGITAL	130291A0DS	130291A0DD	130292A0DS	130292A0DD			130293A0DS	130293A0DD	130294A0DS	130294A0DD				
WS-400 BASE BF-S	PRO	130300A0SS	130300A0SD	130301A0SS	130301A0SD			130302A0SS	130302A0SD	130303A0SS	130303A0SD				
	DIGITAL	130300A0DS	130300A0DD	130301A0DS	130301A0DD			130302A0DS	130302A0DD	130303A0DS	130303A0DD				
WS-400 BASE BF-X	PRO	X	X	X	X			X	X	X	X				
	DIGITAL	X	X	X	X			X	X	X	X				
LS-400 BASE 1.2 ET	PRO	130327A0SS	130327A0SD	130337A0SS	130337A0SD			130346A0SS	130346A0SD	130354A0SS	130354A0SD				
	DIGITAL	130327A0DS	130327A0DD	130337A0DS	130337A0DD			130346A0DS	130346A0DD	130354A0DS	130354A0DD				
LS-400 BASE 1.3 ET	PRO	130328A0SS	130328A0SD	130338A0SS	130338A0SD			130347A0SS	130347A0SD	130355A0SS	130355A0SD				
	DIGITAL	130328A0DS	130328A0DD	130338A0DS	130338A0DD			130347A0DS	130347A0DD	130355A0DS	130355A0DD				
LS-400 BASE 1.4 ET	PRO	130329A0SS	130329A0SD	130339A0SS	130339A0SD			130348A0SS	130348A0SD	130356A0SS	130356A0SD				
	DIGITAL	130329A0DS	130329A0DD	130339A0DS	130339A0DD			130348A0DS	130348A0DD	130356A0DS	130356A0DD				
LS-400 BASE 1.3 ETS	PRO	130332A0SS	130332A0SD	130342A0SS	130342A0SD			130351A0SS	130351A0SD	130359A0SS	130359A0SD				
	DIGITAL	130332A0DS	130332A0DD	130342A0DS	130342A0DD			130351A0DS	130351A0DD	130359A0DS	130359A0DD				
LS-400 BASE 1.4 ETS	PRO	130333A0SS	130333A0SD	130343A0SS	130343A0SD			130352A0SS	130352A0SD	130360A0SS	130360A0SD				
	DIGITAL	130333A0DS	130333A0DD	130343A0DS	130343A0DD			130352A0DS	130352A0DD	130360A0DS	130360A0DD				
LS-400 BASE 1.5 ETS	PRO	130334A0SS	130334A0SD	130344A0SS	130344A0SD			130353A0SS	130353A0SD	130361A0SS	130361A0SD				
	DIGITAL	130334A0DS	130334A0DD	130344A0DS	130344A0DD			130353A0DS	130353A0DD	130361A0DS	130361A0DD				

Active with Newest Technology